MISSOURI BOTANICAL GARDEN

PETER H. RAVEN LIBRARY

GEORGE ENGELMANN BOTANICAL NOTEBOOKS



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Dr Bigelow mis. Aug 11 1866

1 Juncus nodosus megacephalus 28/7
2 J. " intermediate 28/7
3 J. nodosus genuinus 28/7
4 J. acuminatus fraternus 18/7
5 J. nodosus megacephalus 1/8
6 J. " " 3/8
7 J. – genuinus, subintermed. 2/8
8 J. — — 3/8
– J. alpinus 3/8
~~9~~ J. ~~acuminatus~~ fraternus parvus 17/7
10 J. — — —
11 J. " " – 18/7
12 J. nodosus gen. 18/7
13 " — — — x singular fo. 1/7
14 J. marginatus 28/7
15 J. alpinus 4/7
16 — — — 2/7
17 J. canadensis [illegible] brachycarp. 28/7
18 J. — — longecaudatus: 18/7
19 J. — brachycephalus 28/7
20 J. — — 28/7
21 J. — — 3/8

St Louis den 10ten August 1866

Herrn Dr. Engelmann

Geehrter Herr!

Beifolgend erlaube ich mir Ihnen einige meiner Blanks mit der Bitte zu übersenden, im vorkommenden Fällen sich meiner gütigst erinnern zu wollen. Indem ich Sie einer accuraten & gewissenhaften Ausführung Ihrer Recepte versichere, zeichne

Hochachtungsvoll
Otto D'Amour

22 J. Canad brachyceph 26/7

23 J. Ca " 2/8.

no number J. acuminatus var. fraternus Holzer Cy.

no number J. Canadensis var. brachycephalus? two young.

9962

Junci in Herb Hort [illegible]
ex coll. in Europa distrib.

Coll. Un. itin.
J. ~~marginatus~~ Rostk
as J. aristulatus Mx.
Pennsyl. Moser
J. tenuis correct. Pennsyl. Moser
J. paradoxus Mey
as J. nodosus Pennsyl Moser
J. echinatus Ell as J. polycephalus Mx
Ohio, Frank
J. debilis Gray ~~and~~
as J. acuminatus Mx
Torono, Pennsyl.
Moser

Lindh. Texas

Fendler N Mex

Berlandier Mx Tex
744. is J. trinervis Liebm
1573 J. brachycarpus E

9963

DEALER IN
PHARMACEUTICAL
Preparations,
FINE CHEMICALS,
And all the
New Remedies.

E. L. MASSOT,
CORNER OF
Fourth and Spruce Streets,
ST. LOUIS.

DISPENSING
AND
MANUFACTURING
PHARMACEUTIST.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

A. Commons, Centreville. Delaware
sent in April 1866 the following
Species from his neighborhood.

Juncus effusus
— tenuis (& sub var. setaceus)
— bufonius
— repens (Salisbury Md)
— marginatus
— — var biflorus
— pelocarpus (Conradi)
— militaris (Salisbury Md)
— pallescens var fraternus
— scirpoides var macrostemon
— Canadensis var longecaudatus

9964

ALEX. LEITCH

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

Halls Texas coll. 1864

		stm
1.	J. ~~brachycarpus~~ aegilongus	3
2	J. ~~cryptocarpus~~ brachycarpus	3
3	no specimen	
4	J. nodosus megacephalus	6
5	J. paradoxus	3
6	= 1	3
7	no specimen	
8	J. marginatus	

$74.–

14.00
29

5.

Enno Sander,
Ecke der Zweiten und Walnut Straße,
unter Barnum's Hotel,
Saint Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

9965

C. Beyrichi Junci in Herb
H.B. Mirow

J. ~~acuminatus Mx ? Gray~~! J. brevicaudatus
as: J. acuminatus β. humilis

J. Elliottii Chapm. Georgia
as. J. acuminatus Am Sept
[both last labels confounded?]

J. debilis Gr var robustior }
as J. polycephalus Am Sept

J. brachycarpus E.
as J. echinatus Charleston S.C. Jun 11th 1833

J. tenuis Willd.
sub J. tenuis Am. sept

J. dichotomus Ell
correct Am sept

J. repens Mx correct Am sept

J. marginatus Rostk Charleston

J. setaceus Rostk Am sept

in Hb. Short

J. marginatus Rost. in graminosis humidis Carolin-

J. debilis Gray (sub nom acuminatus Mich)
in locis uliginosis in Ca
(Carolina?)

J. repens Mx ad paludum margines Georgia

Deutsche Apotheke
—von—
John G. Schütze,
Südweſtliche Ecke von Broadway und Morgan Straße,
St. Louis, Mo.

9966

Eujunci Australici

a me visi Mart. 1866

APOTHECARY & PHARMACEUTIST,
COR. 4TH & OLIVE STS., ST. LOUIS.

Triandri

J. effusus L. Tasmania, Gunn in Hb. Gray.

J. procerus Mey. Tasmania, Gunn in Hb. Gray.
sub nom J. vaginatus (ex parte)

J. vaginatus R.Br. Tasmania Stuart (by Müller
in Hb Gray
"J. filiformis A. Rich." New Zealand, Raoul
in Hb Gray.

~~J. pauc~~ "~~J. australis~~ H.f." Tasmania, Gunn
in Hb Gray.

J. pauciflorus R.Br. Port Jackson, Sieber
429 & 430 sub nom J. pallidus
Kunth En.

Hexandri

" " " . Tasmania Gunn, Archer,
Stuart, &
Apollobay, Muller in Hb Gray

J. pallidus R.Br. Tasmania Gunn in Hb Gr.
& sub nom J. vaginatus Tasm. Gunn. ib
ex parte.

J. Preissii pro temp. Preiss Nov. Holl. Nro 1864
in Herb. Hort Bot. Missouri.

Glomeruliflori

J. maritimus Lam. New Zealand
in Hb Gray

9967

ALEX. LEITCH

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

9968B

Junc. 4.

2. 1.

Johann Jacob Bernhardi
Prof. Erfurt

~~Joh. Franz Drège, Cape of Good Hope~~
~~Ko~~. Ecklon & Zeyher, ~~see~~ Linnaea XX. 243
Juncus spretus Schlt.

9968C

Juncus effusus

Cl. C. Mony Phld.

These labels without date and name
of Collector occur very frequently –
who can the writer be – a Philadelphian
?

Rafinesque?

9968D Juncus plebejus RBr.
Agrostotheca. No. 17.

F. W. Sieber Agrostotheca
New Holland

Juncus? unde?

9968E

1815.

Karl Ernst August Weihe scrip.

9968F

Juncus acutiflorus
ex pratis liivoribus
y
Menninghuffen
Weihe

C. L. Zeyher, J. F. Drège, J. Ecklon
and Ecklon & Zeyher have collected plants at
the Cape of Good Hope, of which many specimens are
in this collection. See about them Linnaea
XIX. p. 583 and XX. p 181.

The numbers in brackets on the labels designate
the first (1 – 106) the Localities which see in Linnaea
XIX. 584, the second (1–12) the month of the year
when collected. See also
Drège in Flora (Regensburg) 1843, and E. Meyer's
Commentatorium

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

2471.a.

9968G

2471 Juncus rupestris Kunth
Cape of Good Hope — J.F Drège leg.

Juncus oxycarpus E.M. a.

9968H

Juncus oxycarpus E. Mey.
Cape of Good Hope, Drège leg

Juncus prismatocarpus
Fl. Novæ Holl. No. 431.

9968I

Juncus prismatocarpus R.Br.
Franz Wilhelm Sieber Flora Nov. Holland № 431

1573.
Mexico. april

9968J

Dr Berlandier
Liebmann ?
Andrieux ?
mostly plants from the Rio Grande, Matamoras
and the southern parts of Texas
1573 = Hb. Gray is from the Guadaloupe River
Texas

Juncus echinatus Ell.
P. Charleston 11/6 33 Beyrich

9968K

Charles Beyrich
1833 Charleston S.C.

1553.

9968L

1553 Xerotes
Preiss
Nov Holland

Juncus diffusus.
stamina 6.
medulla farcta.
culmus levissime striatus

9968M

J. diffusus Hoppe Decad Gram
et in Regensb. bot. Zeitg
David Heinrich
Hoppe ipse scripsit !

Nro 20.

9968N

Juncus
placed by Bernhardi with J. glaucus
Japonia ?

Juncus acuminatus,
in subhumidis circa Tanger.

9968O

Juncus fasciculatus Schousb
J. acuminatus Salzm. Pl. Tingitan
non Michx
Salzmanni plantae Tingitanae

Juncus multiflorus. Desf.
Damiatte.

9968P

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9968A

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

JUNCUS CANALICULATUS, n. sp.—A coarse plant of the section *Graminei*, 3 feet or more high from a cespitose rootstock with stout terete stems and numerous concave or channeled leaves 2 or 3 of them with auricled sheaths on the stem; heads 3 to 8-flowered on slender branches in a decompound rather contracted panicle; flowers light greenish-red over 2 lines long, sepals of nearly equal length with membranaceous margins, inner acute, outer ones acuminate; stamens 6, two-thirds the length of the sepals, long linear red-brown anthers longer than the filaments; ovary attenuated into a slender style bearing very long exsert stigmas, 1 celled; fruit and seed unknown.—San Bernardino Mountains at 4,000 feet alt. S. B. and W. F. Parish. Abundantly distinguished from the allied *J. marginatus*, with which it has in common the brown-red anthers, otherwise rare in the genus, by the stouter habit, the long coarse deeply channeled leaves, larger flowers, acute sepals, acuminate ovary, long style and stigmas.—G ENGELMANN.

Botan Gazette Jan 1882

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

9969

JUNCUS RUGULOSUS, n. sp. Pale green, transversely rugose and rough, stems 2–4 feet high from a stout running rhizoma, very weak, leafy; leaves septate; panicle lax, decompound, 6–8 inches long and wide; heads with hyaline bracts, 3–5–8-flowered; sepals linear-lanceolate very acute, nearly equal, the outer carinate 1-nerved, the inner 3 nerved; stamens 6, much shorter than sepals, linear anthers shorter than filaments; capsule exceeding the calyx, lanceolate, acute, 3-angled, 1-celled; seeds acute at both ends but not caudate, reticulate.

(San Bernardino) Botan Gazette, June 1881

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

9970

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

Lapham's Herb. June 1866

Dr F. J. Jung spelt by Laph. Young

J. longistylis from Red River of the north

J. Canadensis longicaudatus Lake Superior

J. nodosus megacephalus Red River of the North, brown heads

J. campocarpus W Boott Minnesota
panicula effusa, caule debili
semipedalis

J. pelocarpus St Peters Dr Parry

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

9971

36 – 40 , 60
18 20 30
30 34 5.0

28 – 36
6/14 – 18
2,3 3.0

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN